



# HEDIS® Measurement Year 2020 At-A-Glance: Key Behavioral Measures

## Pediatric and Adult

At WellCare, we value everything you do to deliver quality care for our members – your patients – and to make sure they have a positive healthcare experience. That’s why we’ve created this easy-to-use, informative HEDIS® At-A-Glance Guide. It gives you the tools you need to meet, document and code HEDIS measures. Together, we can provide the care and services our members need to stay healthy and improve quality scores and Star Ratings. This benefits our providers, WellCare and ultimately our members. Please contact your WellCare representative if you need more information or have any questions.

**Quality care is a team effort. Thank you for playing a starring role!**

\*Measurement Year 2020

Pediatric Measures: 17 Years of Age and Younger		
HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Follow-Up Care for Children Prescribed ADHD Medication (ADD)</b></p> <ul style="list-style-type: none"> <li>Initiation Phase: Children with a new prescription for an ADHD medication who had 1 follow-up visit with a practitioner with prescribing authority during the 30-day Initiation Phase.</li> <li>Continuation and Maintenance (C&amp;M) Phase: Children who were dispensed and remained on ADHD medication for 210 days. In addition to the visit in the Initiation Phase, these children had two follow-up visits with a practitioner within 270 days (9 months) after the end of the Initiation Phase.</li> </ul> <p><b>Ages:</b> 6–12 years</p> <p><b>Allowable Time Frame:</b> <b>March 1 of the year prior to the measurement year and ending the last calendar day of February of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>When prescribing a new medication, be sure to schedule a follow-up visit within 30 days to assess how the medication is working and to address side effect issues.               <ul style="list-style-type: none"> <li>– Schedule this visit while your member is still in the office.</li> </ul> </li> <li>Schedule 2 more visits in the 9 months after the 30-day Initiation Phase to continue to monitor your member’s progress.</li> <li>If your member cancels an appointment be sure to reschedule right away.</li> </ul>	<p><b>Initiation and C&amp;M Phase CPT Codes:</b> 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 96150-96154, 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171, 98960-98962, 98969-98972, 99078, 99201-99205, 99211-99215, 99217-99223, 99231-99233, 99238, 99239, 99241-99425, 99251-99255, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99421-99423, 99444, 99458, 99483, 99510</p> <p><b>Telephone Visits:</b> 98966-98968, 99441-99443</p> <p><b>CPT Telehealth Modifiers:</b> 95, GT</p> <p><b>HCPCS:</b> G0155, G0176, G0177, G0409-G0411, G0463, G2010, G2012, G2061-G2063, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485, T1015</p> <p><b>POS:</b> 02, 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 71, 72</p>

This document is an informational resource designed to assist licensed healthcare practitioners in caring for their patients. Healthcare practitioners should use their professional judgment in using the information provided. HEDIS measures are not a substitute for the care provided by licensed healthcare practitioners and patients are urged to consult with their healthcare practitioner for appropriate treatment. HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). [www.wellcare.com](http://www.wellcare.com)



## Pediatric Measures: 17 Years of Age and Younger

HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Metabolic Monitoring For Children and Adolescents on Antipsychotics (APM)</b></p> <p>Those members who had 2 or more antipsychotic prescriptions and had metabolic testing in the measurement year.</p> <p>Ages: 1–17 years</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 31 of the measurement year*</b></p>	<p>Member must have the following:</p> <ul style="list-style-type: none"> <li>• A blood glucose test or HbA1c</li> <li>• A LDL-C or cholesterol test</li> </ul> <p>To increase compliance, consider using standing orders to get labs done.</p> <p>For a complete list of medications and NDC codes, please visit <a href="http://www.ncqa.org">www.ncqa.org</a>.</p>	<p><b>CPT Codes:</b></p> <p><b>Glucose Tests:</b> 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951</p> <p><b>HbA1c Tests:</b> 83036, 83037,</p> <p><b>CPT II:</b></p> <p>3044F: &lt;7.0</p> <p>3051F: 7-7.9</p> <p>3052F: 8-9</p> <p>3046F: &gt;9</p> <p><b>LDL-C Tests:</b> 80061, 83700, 83701, 83704, 83721</p> <p><b>CPT II:</b> 3048F-3050F</p> <p><b>Cholesterol Tests Other Than LDL:</b> 82465, 83718, 83722, 84478</p>
<p><b>Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)</b></p> <p>Members who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.</p> <p>Ages: 1–17 years</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 1 of the measurement year*</b></p>	<p>Member must have documentation of psychosocial care as first-line treatment (prior to initiation of medication therapy).</p> <p>For a complete list of medications and NDC codes, please visit <a href="http://www.ncqa.org">www.ncqa.org</a>.</p>	<p><b>ICD-10-Dx:</b> Use the appropriate code family: F</p> <p><b>Psychosocial Care:</b> 90832-90834, 90836-90840, 90845-90847, 90849, 90853, 90875, 90876, 90880</p> <p><b>HCPCS Psychosocial Care:</b> G0176, G0177, G0409-G0411, H0004, H0035-H0040, H2000, H2001, H2011-H2014, H2017-H2020, S0201, S9480, S9484, S9485</p>

## Pediatric through Adult Measures

HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Follow-Up After Emergency Department Visit for Mental Illness (FUM)</b></p> <p>Members who had an ED visit with a principal diagnosis of mental illness or intentional self-harm, who had an outpatient follow-up visit, intensive outpatient encounter or partial hospitalization with any practitioner. Two rates are reported:</p> <ul style="list-style-type: none"> <li>The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days).</li> <li>The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).</li> </ul> <p>Ages: 6 years and older</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 1 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member's caregiver regarding the follow-up plan after ED visit, if possible.</li> <li>If the member's appointment does not occur within the first 7 days post-ED visit, please schedule the appointment to occur within 30 days post-ED visit.</li> </ul>	<p><b>ICD-10-Dx:</b> Use the appropriate code family: F, T</p> <p><b>7 &amp; 30 day follow-up CPT Codes:</b> 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90870, 90875, 90876, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99223, 99231-99233, 99238, 99239, 99241-99245, 99251-99255, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99441-99443, 99483, 99510</p> <p><b>Telephone Visits:</b> 98966-98968, 99441-99443</p> <p><b>Online Assessments:</b> 98969-98972, 99421-99423, 99444, 99457, G0071</p> <p><b>POS:</b> 02, 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 71, 72</p> <p><b>HCPCS:</b> G0155, G0176-G0177, G2010, G2012, G2061-G2063, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485, T1015</p>
<p><b>Follow-Up After Hospitalization for Mental Illness (FUH)</b></p> <p>Members who were discharged from an acute inpatient stay with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit with a mental health provider. Two rates are reported:</p> <ul style="list-style-type: none"> <li>The percentage of discharges for which the member received follow-up within 7 days after discharge (8 total days).</li> <li>The percentage of discharges for which the member received follow-up within 30 days after discharge (31 total days).</li> </ul> <p>Ages: 6 years and older</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 1 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member's caregiver regarding the follow-up plan after IP discharge.</li> <li>If the member's appointment does not occur within the first 7 days post-discharge, please schedule the appointment to occur within 30 days.</li> </ul>	<p><b>ICD-10-Dx:</b> Use the appropriate code family: F, T</p> <p><b>7 &amp; 30 day follow-up CPT Codes:</b> 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90870, 90875, 90876, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99223, 99231-99233, 99238, 99239, 99241-99245, 99251-99255, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99441-99443, 99483, 99510</p> <p><b>Telephone Visits:</b> 98966-98968, 99441-99443</p> <p><b>Online Assessments:</b> 98969-98972, 99421-99423, 99444, 99457, G0071</p> <p><b>POS:</b> 02, 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 71, 72</p> <p><b>HCPCS:</b> G0155, G0176-G0177, G2010, G2012, G2061-G2063, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485, T1015</p>

## Pediatric through Adult Measures

HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA)</b></p> <p>Members who had an ED visit with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence and who had a follow-up visit for AOD to include: an outpatient follow-up visit, intensive outpatient or partial hospitalization encounter with any practitioner.</p> <p>Two rates are reported:</p> <ul style="list-style-type: none"> <li>The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).</li> <li>The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days).</li> </ul> <p><b>Ages:</b> 13 years and older</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 1 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member’s caregiver regarding the follow-up plan after ED visit, if possible.</li> <li>If the member’s appointment does not occur within the first 7 days post-ED visit, please schedule the appointment to occur within 30 days post-ED visit.</li> </ul>	<p><b>ICD-10-Dx:</b> Use the appropriate code family: F</p> <p><b>7 &amp; 30 Day Follow-Up CPT Codes:</b> 90791, 90792, 90832–90834, 90836–90840, 90845, 90847, 90849, 90853, 90875, 90876, 98960–98962, 99078, 99201–99205, 99211–99215, 99217–99223, 99231–99233, 99238, 99239, 99241–99245, 99251–99255, 99341–99345, 99347–99350, 99384–99387, 99394–99397, 99401–99404, 99408, 99409, 99411, 99412, 99483, 99510</p> <p><b>Telephone Visits:</b> 98966–98968, 99441–99443</p> <p><b>Online Assessments:</b> 98969–98972, 99421–99423, 99444, 99457, G0071</p> <p><b>HCPCS:</b> G0155, G0176, G0177, G0396, G0397, G0409–G0411, G0443, G0463, G2010, G2012, G2061–G2063, G2067–G2077, G2080, G2086, G2087, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034–H0037, H0039, H0040, H0047, H2000, H2001, H2010–H2020, H2035, H2036, S0201, S9480, S9484, S9485, T1006, T1012, T1015</p> <p><b>POS:</b> 02, 03, 05, 07, 09, 11–20, 22, 33, 49, 50, 52, 53, 57, 58, 71, 72</p>
<p><b>Follow-Up After High Intensity Care for Substance Use Disorder (FUI):</b></p> <p>The percentage of acute inpatient hospitalizations, residential treatment or detoxification visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder.</p> <p>Two rates are reported:</p> <ol style="list-style-type: none"> <li>The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 30 days after the visit or discharge.</li> <li>The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 7 days after the visit or discharge.</li> </ol> <p><b>Ages:</b> 13 years and older</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 1 of the measurement year*</b></p>	<p>Do NOT count follow-up visits which occur on the same day as the discharge/visit.</p> <ul style="list-style-type: none"> <li>Schedule the 7-day follow-up visit within 5 days to allow flexibility in rescheduling. Involve the member’s caregiver regarding the follow up after the visit or discharge.</li> <li>If the member’s appointment does not occur within the first 7 days post-visit/discharge, please schedule the appointment to occur within 30 days post-visit/discharge.</li> </ul>	<p><b>CPT:</b> 90791, 90792, 90832–90834, 90836–90840, 90845, 90847, 90849, 90853, 90875, 90876, 98960–98962, 99078, 99201–99205, 99211–99215, 99217–99220, 99221–99223, 99231–99233, 99238, 99239, 99241–99245, 99251–99255, 99341–99345, 99347–99350, 99384–99387, 99394–99397, 99401–99404, 99408, 99409, 99411, 99412, 99483, 99510</p> <p><b>Telephone Visits:</b> 98966–98968, 99441–99443</p> <p><b>Online Assessments:</b> 98969–98972, 99421–99423, 99444, 99457, G0071</p> <p><b>HCPCS:</b> G0155, G0176, G0177, G0396, G0397, G0409–G0411, G0443, G0463, G2010, G2012, G2061–G2063, G2067–G2077, G2080, G2086, G2087, H0001, H0002, H0004, H0005, H0007, H0015–H0020, H0022, H0031, H0033–H0040, H0047, H2000, H2001, H2010–H2020, H2035, H2036, J0571–J0575, J2315, Q9991, Q9992, S0109, S0201, S9480, S9484, S9485, T1006, T1012, T1015, T2048</p> <p><b>POS:</b> 02, 03, 05, 07, 09, 11–20, 22, 33, 49, 50, 52, 53, 57, 58, 71, 72</p>

## Pediatric through Adult Measures

HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)</b></p> <p>Adolescent and adult members with a new episode of a substance use disorder or dependence who received the following:</p> <ul style="list-style-type: none"> <li>• <b>Initiation of AOD Treatment -</b> Members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth or medication treatment, within 14 days of the diagnosis.</li> <li>• <b>Engagement of AOD Treatment -</b> Members who initiated treatment and who had two or more additional AOD services, or medication treatment, within 34 days of the initiation visit.</li> </ul> <p>Ages: 13 years and older</p> <p><b>Allowable Time Frame: Jan. 1–Nov. 13 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>• Schedule the 14-day follow-up visit within 10 days to allow flexibility in rescheduling. Involve the member’s caregiver regarding the follow-up plan, if possible.</li> <li>• At the end of the initial follow-up appointment, schedule 2 more follow-up appointments to occur within 34 days of the initial follow-up appointment.</li> <li>• When treating a member for issues related to an alcohol or other drug dependence diagnosis, code for that diagnosis on every claim.</li> </ul>	<p><b>ICD-10-Dx:</b> Use the appropriate code family: F</p> <p><b>Initiation and Engagement Phase CPT Codes:</b> 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99223, 99231-99233, 99238, 99239, 99241-99245, 99251-99255, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99408, 99409, 99411, 99412, 99429, 99455, 99456, 99483, 99510</p> <p><b>Telephone Visits:</b> 98966-98968, 99441-99443</p> <p><b>Online Assessment:</b> 98969-98972, 99421-99423, 99444, 99457, G0071</p> <p><b>AOD Medication Treatment:</b> H0020, H0033, J0570-J0575, J2315, S0109, Q9991, Q9992</p> <p><b>HCPCS:</b> G0155, G0176, G0177, G0396, G0397, G0402, G0409-G0411, G0438, G0439, G0443, G0463, G2010, G2012, G2061-G2063, G2067-G2077, G2080, G2086, G2087, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034-H0037, H0039, H0040, H0047, H2000, H2001, H2010-H2020, H2035, H2036, S0201, S9480, S9484, S9485, T1006, T1012, T1015</p> <p><b>POS:</b> 02, 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 57, 58, 71, 72</p>
<p><b>Pharmacotherapy for Opioid Use Disorder (POD)</b></p> <p>The percentage of new opioid use disorder (OUD) pharmacotherapy events with OUD pharmacotherapy for 180 or more days among members age 16 and older with a diagnosis of OUD.</p> <p>Report two age stratifications and total rate.</p> <p>Ages: 16 years and older</p> <p><b>Allowable Time Frame: July 1 of the year prior to the measurement year and ends on June 30 of the measurement year*</b></p>	<p>Methadone is not included on the medication lists for this measure. Methadone for OUD administered or dispensed by federally certified opioid treatment programs (OTP) is billed on a medical claim. A pharmacy claim for methadone would be indicative of treatment for pain rather than OUD.</p>	<p><b>HCPCS:</b> G2068-G2070, G2072, G2079, J0570-J0575, J2315, Q9991, Q9992</p>

## Adult Measures: 18 Years of Age and Older

HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Antidepressant Medication Management (AMM)</b></p> <p>Members with a diagnosis of major depression and were treated with antidepressant medication, and who remained on an antidepressant medication treatment.</p> <p>Two rates are reported:</p> <ul style="list-style-type: none"> <li>• <b>Effective Acute Phase Treatment</b> – Members who remained on an antidepressant medication for at least 84 days (12 weeks).</li> <li>• <b>Effective Continuation Phase Treatment</b> – Members who remained on an antidepressant medication for at least 180 days (6 months).</li> </ul> <p>Ages: 18 years and older</p> <p><b>Allowable Time Frame: May 1 of prior measurement year to April 30 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>• Be sure to accurately assess and diagnose members through the PHQ-9 screening tool.</li> <li>• Rule out other medical or mental health disorders that can produce similar symptoms to that of major depression.</li> <li>• Educate your patients on how to take their antidepressant medications. Include the importance of continuing to take the medication even if they begin feeling better and to not stop taking the medication without consulting you first.</li> </ul>	<p>For a complete list of medications and NDC codes, please visit <a href="http://www.ncqa.org">www.ncqa.org</a>. For Medicaid, refer to the Preferred Drug List (PDL) on the state-specific WellCare website. For Medicare, refer to the WellCare Formulary.</p>
<p><b>Diabetes Screening for People with Schizophrenia or Bipolar Disorder Using Antipsychotic Medications (SSD)</b></p> <p>Members with schizophrenia, schizoaffective disorder or bipolar disorder who received an antipsychotic medication and had a diabetes screening test.</p> <p>Ages: 18-64 years</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 31 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>• Encourage members with schizophrenia, schizoaffective disorder or bipolar disorder who are also on antipsychotic medication to contact their PCP to schedule a HbA1c test (or glucose test) annually.</li> <li>• To increase compliance, consider using standing orders to get these labs done.</li> </ul> <p>For a complete list of medications and NDC codes, visit <a href="http://www.ncqa.org">www.ncqa.org</a> (posted by Nov. 1, 2017). For Medicaid, please refer to the Preferred Drug List (PDL) on the state-specific WellCare website.</p>	<p><b>Glucose Tests:</b></p> <p>CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951</p> <p><b>HbA1c Tests:</b></p> <p>CPT: 83036, 83037</p> <p><b>CPT II:</b></p> <p>3044F: &lt;7.0  3051F: 7-7.9  3052F: 8-9  3046F: &gt;9</p>

## Adult Measures: 18 Years of Age and Older

HEDIS Measure	HEDIS Tips	Sample Codes Used
<p><b>Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)</b></p> <p>Members with schizophrenia or schizoaffective disorder and diabetes who had both an LDL-C and an HbA1c test during the measurement year.</p> <p>Ages: 18-64 years</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 31 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>Encourage members with schizophrenia or schizoaffective disorder and diabetes to contact their PCP to schedule a HbA1c and LDL-C test.</li> <li>To increase compliance, consider using standing orders to get labs done.</li> </ul>	<p><b>HbA1c Tests:</b></p> <p>CPT: 83036, 83037</p> <p><b>CPT II:</b></p> <p>3044F: &lt;7.0 3051F: 7-7.9 3052F: 8-9 3046F: &gt;9</p> <p><b>LDL-C Tests:</b></p> <p>CPT: 80061, 83700, 83701, 83704, 83721 CPT II: 3048F, 3049F, 3050F</p>
<p><b>Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)</b></p> <p>Members with schizophrenia or schizoaffective disorder and cardiovascular disease who had an LDL-C test during the measurement year.</p> <p>Ages: 18-64 years</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 31 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>Encourage members with schizophrenia or schizoaffective disorder and cardiovascular disease to contact their PCP to schedule a LDL-C test.</li> <li>To increase compliance, consider using standing orders to get labs done.</li> </ul>	<p><b>LDL-C Tests:</b></p> <p>CPT Codes: 80061, 83700, 83701, 83704, 83721 CPT II Codes: 3048F, 3049F, 3050F</p>
<p><b>Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA)</b></p> <p>Members with schizophrenia or schizoaffective disorder who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.</p> <p>Ages: 18 years of age and older</p> <p><b>Allowable Time Frame: Jan. 1–Dec. 31 of the measurement year*</b></p>	<ul style="list-style-type: none"> <li>Consider the use of long-acting injectable antipsychotic medications to increase adherence.</li> <li>Educate your patients on how to take their medications. Include the importance of continuing to take the medication even if they begin feeling better and to not stop taking the medication without consulting you first.</li> </ul> <p>For a complete list of medications and NDC codes, please visit <a href="http://www.ncqa.org">www.ncqa.org</a>. For Medicaid, please refer to the Preferred Drug List (PDL) on the state-specific WellCare website.</p>	<p><b>Long-Acting Injections</b></p> <p><b>HCPCS:</b></p> <p>14-day supply: J2794 28-day supply: J0401, J1631, J2358, J2426, J2680, C9035 30-day supply: C9037</p>

[www.wellcare.com](http://www.wellcare.com)

